

DIRECTORY OF REVISIONS 2009 Addendum Cycle A

Part 1 Installation

1.4.2 a)

- Revised to include all Pressure Retaining Items

2.5.3

- Added wording for remote emergency shutdown switches

2.8.2

- Revised to clarify valve type

2.9.6

- Changed numbering for clarity

3.4.2

- Revised wording for clarity

4.5.3

- Revised wording to clarify the location of the Pressure Relief Device in relation to the vessel

4.5.6 e)

- Added wording to address pressure vessels designed for human occupancy

5.3.3

- Revised wording to clarify the location of the Pressure Relief Device in relation to the vessel

Part 2 Inspection

2.2.8

- Deleted text

2.2.10.2

- Deleted text

2.2.10.3

- Re-numbered paragraph

2.2.10.4

- Re-numbered paragraph and deleted text

2.2.10.5 thru 2.2.10.7

- Re-numbered paragraphs

2.2.12.1

- Re-numbered paragraph and added text

2.2.12.2 thru 2.2.12.8

- Re-numbered paragraph

2.2.12.9

- Re-numbered paragraph and added text

2.5.3

- Introduction to valve supplement

S1.4.3 a)

- Added wording to measure the height of water gage glass in Locomotive Boilers

S2.6.2

- Added wording to address areas that exhibit thinning in Historical Boilers

S2.10.3

- Added metric tables for Historical Boilers

S6.16

- Added section to address Pressure Relief Devices in the DOT supplement

S7.1

- **Added wording to clarify DOT Transport Tank requirements**

S.8

- **Added Supplement to address Pressure Differential Between Safety or Safety Relief Valve Setting and Boiler or Pressure Vessel Operating Pressure**

Part 3 Repairs and Alterations

2.5.2

- **Clarified wording**

2.5.3 d)

- **Corrected reference**

2.5.3 e)

- **Added new paragraph for Non-destructive examination of welds and re-numbered paragraph 2.5.3 e) to 2.5.3 f)**

3.2.6

- **Added paragraph to reference other codes and standards**

3.3.4.2

- **Deled duplicated wording**

5.7.1

- **Deleted wording**

5.9.5

- **Clarified wording for stamping requirements**

7.1

- **Clarification of text order**

S1.2.6

- **Addition of wording and figures to Locomotive supplement**

S1.2.8

- **Clarification of patch bolt repair and alteration**

S1.2.9.7

- **Addition of wording to address ferrules**

S2.11.5

- **Add wording to repairs of firebox and tubesheet knuckles**

DIRECTORY OF REVISIONS 2009 Addendum Cycle B

Part 1 Installation

2.3

- Added metric units to table

2.7.5

- Revised wording for clarity

3.7.5.1

- Revised wording for clarity

3.7.9.1

- Revised wording to exclude potable water heaters

3.8.2.3

- Revised wording for clarity

3.8.2.4

- Revised wording for clarity

3.9.1.5

- Added wording for clarity

5.3.6

- Added wording for design consideration

Part 2 Inspection

2.2.12.3

- Added text

2.5.6

- Added text

S1.4.2.1 I)

- Added diagram and text

Part 3 Repairs and Alterations

2.3

- Added note to SWPS

2.5.3.2

- Added wording

2.5.3

- Deleted table

2.5.3.3

- Added wording

2.5.3.4

- Added wording

3.3.3

- Added wording to address repairs and alterations

3.3.4.1-3.3.4.8

- Added wording to address temporary repairs

3.3.4.3

- Added wording to figure

3.3.5.2

- Revised wording

3.4.4.1

- Revised wording

S1.1.3.1

- Added wording

S4.6

- Revised wording

S4.16.3

- Revised wording

S4.17.3

- Revised wording

S4.17.4

- Revised wording

S10

- Added new supplement

Glossary (Will appear in all three parts)

Added new definition for Alteration